

---

**open<sub>e</sub>Go Documentation**

**Release V0.3.0dev**

**open<sub>e</sub>Go – Team**

**Aug 24, 2018**



---

## Contents

---

<b>1 Getting Started</b>	<b>3</b>
1.1 Overview . . . . .	3
1.1.1 Installation . . . . .	3
1.2 On Windows . . . . .	3
1.2.1 Run . . . . .	3
<b>2 Open_eGo the project</b>	<b>5</b>
2.1 Open Electricity Grid Optimization . . . . .	5
2.1.1 ego.io . . . . .	5
2.1.2 Ding0 . . . . .	5
2.1.3 eDisGo . . . . .	6
2.1.4 eTraGo . . . . .	6
2.1.5 eGo . . . . .	6
<b>3 Data processing scripts</b>	<b>7</b>
3.1 Data processing . . . . .	7
3.1.1 SQL-Scripts . . . . .	7
3.1.1.1 Data Processing SQL-Scripts . . . . .	7
3.1.1.1.1 Overview of scripts . . . . .	7
3.1.1.1.1.1 dataprocessing/sql_snippets/ scripts . . . . .	7
3.1.1.1.1.2 ego_dp_loadarea_census.sql . . . . .	7
3.1.1.1.1.3 ego_dp_loadarea_consumption.sql . . . . .	7
3.1.1.1.1.4 ego_dp_loadarea_griddistrict_results.sql . . . . .	8
3.1.1.1.1.5 ego_dp_loadarea_industry_consumer.sql . . . . .	8
3.1.1.1.1.6 ego_dp_loadarea_landuse.sql . . . . .	8
3.1.1.1.1.7 ego_dp_loadarea_loadcut_griddistrict.sql . . . . .	8
3.1.1.1.1.8 ego_dp_loadarea_loadcut_voronoi.sql . . . . .	9
3.1.1.1.1.9 ego_dp_loadarea_loadmelt.sql . . . . .	9
3.1.1.1.1.10 ego_dp_loadarea_loads.sql . . . . .	9
3.1.1.1.1.11 ego_dp_loadarea_peakload.sql . . . . .	9
3.1.1.1.1.12 ego_dp_loadarea_statistic.sql . . . . .	9
3.1.1.1.1.13 ego_dp_lv_consumption_peakload.sql . . . . .	10
3.1.1.1.1.14 ego_dp_lv_griddistrict.sql . . . . .	10
3.1.1.1.1.15 ego_dp_lv_substation.sql . . . . .	10
3.1.1.1.1.16 ego_dp_lv_substation_voronoi.sql . . . . .	10
3.1.1.1.1.17 ego_dp_mv_griddistrict.sql . . . . .	11
3.1.1.1.1.18 ego_dp_powerflow_assignment_generator.sql . . . . .	11

3.1.1.1.1.19	ego_dp_powerflow_assignment_load.sql . . . . .	11
3.1.1.1.1.20	ego_dp_powerflow_assignment_otgid.sql . . . . .	11
3.1.1.1.1.21	ego_dp_powerflow_assignment_storage.sql . . . . .	12
3.1.1.1.1.22	ego_dp_powerflow_assignment_unid.sql . . . . .	12
3.1.1.1.1.23	ego_dp_powerflow_create_pp_mvview.sql . . . . .	12
3.1.1.1.1.24	ego_dp_powerflow_electrical_neighbour.sql . . . . .	12
3.1.1.1.1.25	ego_dp_powerflow_grid_future_scenarios.sql . . . . .	13
3.1.1.1.1.26	ego_dp_powerflow_hv_setup.sql . . . . .	13
3.1.1.1.1.27	ego_dp_powerflow_lopf_data.sql . . . . .	13
3.1.1.1.1.28	ego_dp_powerflow_osmtgmod_to_pypsa.sql . . . . .	14
3.1.1.1.1.29	ego_dp_powerflow_timeseries_demand.sql . . . . .	14
3.1.1.1.1.30	ego_dp_powerflow_voronoi_weatherpoint.sql . . . . .	14
3.1.1.1.1.31	ego_dp_structure_input_verification.sql . . . . .	14
3.1.1.1.1.32	ego_dp_substation_ehv.sql . . . . .	14
3.1.1.1.1.33	ego_dp_substation_ehv_voronoi.sql . . . . .	15
3.1.1.1.1.34	ego_dp_substation_hvmv.sql . . . . .	15
3.1.1.1.1.35	ego_dp_substation_hvmv_voronoi.sql . . . . .	15
3.1.1.1.1.36	ego_dp_substation_id_to_generator.sql . . . . .	15
3.1.1.1.1.37	ego_dp_substation_otg.sql . . . . .	16
3.1.1.1.1.38	ego_dp_versioning.sql . . . . .	16
3.1.1.1.1.39	ego_dp_versioning_mviews.sql . . . . .	16
3.1.1.1.1.40	ego_dp_versioning_overview.sql . . . . .	16
3.1.1.1.1.41	dataprocessing/sql_snippets/functions scripts . . . . .	16
3.1.1.1.1.42	function_query_metadata.sql . . . . .	16
3.1.1.1.1.43	dataprocessing/sql_snippets/reac scripts . . . . .	17
3.1.1.1.1.44	ego_dp_conv.sql . . . . .	17
3.1.1.1.1.45	ego_dp_lattice_500m.sql . . . . .	17
3.1.1.1.1.46	ego_dp_lattice_50m.sql . . . . .	17
3.1.1.1.1.47	ego_dp_rea_lattice_per_area_500m.sql . . . . .	17
3.1.1.1.1.48	ego_dp_rea_lattice_per_area_50m.sql . . . . .	18
3.1.1.1.1.49	ego_dp_rea_m1.sql . . . . .	18
3.1.1.1.1.50	ego_dp_rea_m2.sql . . . . .	18
3.1.1.1.1.51	ego_dp_rea_m3.sql . . . . .	18
3.1.1.1.1.52	ego_dp_rea_m4.sql . . . . .	18
3.1.1.1.1.53	ego_dp_rea_m5.sql . . . . .	19
3.1.1.1.1.54	ego_dp_rea_results.sql . . . . .	19
3.1.1.1.1.55	ego_dp_rea_setup.sql . . . . .	19
3.1.1.1.1.56	ego_dp_rea_wpa_per_mvrgd.sql . . . . .	19
3.1.1.1.1.57	ego_dp_wpa.sql . . . . .	20
3.1.2	Python-Scripts . . . . .	20
3.2	Preprocessing . . . . .	20
3.2.1	SQL-Scripts . . . . .	20
3.2.1.1	Preprocessing SQL-Scripts . . . . .	20
3.2.1.1.1	Overview of scripts . . . . .	20
3.2.1.1.1.1	preprocessing/sql_snippets/ scripts . . . . .	20
3.2.1.1.1.2	ego_dp_res_rea_by_scenario.sql . . . . .	20
3.2.1.1.1.3	Part I . . . . .	20
3.2.1.1.1.4	Part II . . . . .	20
3.2.1.1.1.5	Methodology . . . . .	21
3.2.1.1.1.6	ego_dp_structure_boundaries_vg250.sql . . . . .	21
3.2.1.1.1.7	ego_dp_structure_census.sql . . . . .	21
3.2.1.1.1.8	ego_dp_structure_osm_landuse.sql . . . . .	21
3.2.1.1.1.9	ego_dp_structure_scenariolog.sql . . . . .	21
3.2.1.1.1.10	ego_dp_structure_versioning.sql . . . . .	22

3.2.1.1.11	ego_nep_2015_scenario_capacities.sql . . . . .	22
3.2.1.1.12	ego_pre_slp_parameters.sql . . . . .	22
3.2.1.1.13	ego_pre_voltage_level.sql . . . . .	22
3.2.1.1.14	oedb_setup_schema_structure.sql . . . . .	23
3.2.1.1.15	preprocessing/sql_snippets/boundaries scripts . . . . .	23
3.2.1.1.16	ego_pp_gn250_metadata.sql . . . . .	23
3.2.1.1.17	ego_pp_vg250_metadata.sql . . . . .	23
3.2.1.1.18	preprocessing/sql_snippets/openstreetmap scripts . . . . .	23
3.2.1.1.19	ego_pp_osm_line_street_mvview.sql . . . . .	23
3.2.1.1.20	preprocessing/sql_snippets/society scripts . . . . .	23
3.2.1.1.21	ego_pp_destatis_zensus_import.sql . . . . .	23
3.2.1.1.22	ego_pp_destatis_zensus_metadata.sql . . . . .	24
3.2.2	Python-Scripts . . . . .	24
<b>4 Scenario framework</b>		<b>25</b>
4.1 open_eGo Scenarios	. . . . .	25
4.1.1 open_eGo Scenarios	. . . . .	25
4.1.1.1 Status Quo	. . . . .	25
4.1.1.2 NEP 2035	. . . . .	25
4.1.1.2.1 Scenario definition of renpassG!S	. . . . .	26
4.1.1.3 eGo 100	. . . . .	26
4.1.1.4 References	. . . . .	26
4.2 Methodology	. . . . .	26
4.2.1 Methodologies	. . . . .	26
4.2.1.1 Methodologies of Renewable Energy Plants	. . . . .	26
4.2.1.1.1 Renewable allocation	. . . . .	26
4.2.1.1.1.1 Expansion of power plants by technology	. . . . .	26
4.2.1.1.1.2 Wind onshore	. . . . .	26
4.2.1.1.1.3 Wind offshore	. . . . .	26
4.2.1.1.1.4 Solar	. . . . .	26
4.2.1.1.1.5 Hydro Power	. . . . .	26
4.2.1.1.1.6 Pumped Storage	. . . . .	27
4.2.1.1.1.7 Biomass	. . . . .	27
4.2.1.1.1.8 geothermal	. . . . .	27
4.2.1.1.2 Load	. . . . .	27
4.3 References	. . . . .	27
<b>5 What's New</b>		<b>29</b>
5.1 Release v0.3.0 (December 18, 2017)	. . . . .	29
5.1.1 Added features	. . . . .	29
5.1.2 Bug fixes	. . . . .	29
5.1.3 Other changes	. . . . .	29
5.2 Release v0.3.1 (April XX, 2018)	. . . . .	30
5.2.1 Added features	. . . . .	30
5.2.2 Bug fixes	. . . . .	30
5.2.3 Other changes	. . . . .	30
<b>6 LICENSE</b>		<b>31</b>
<b>7 Indices and tables</b>		<b>33</b>
<b>Bibliography</b>		<b>35</b>





**open\_eGo**

[Add text here]



# CHAPTER 1

---

## Getting Started

---

### 1.1 Overview

- How to install
- How to run the dataprocessing package

#### 1.1.1 Installation

Installation of latest release

```
` (sudo) pip3 install dataprocessing `
```

Installation (of developer version) via pip on linux systems as follows

```
` sudo pip3 install -e <path-to-data_processing-repo> `
```

Troubleshooting

### 1.2 On Windows

1. Problem: Installation of required package shapely fails. Solution: Install pre-build wheel from [here](<http://www.lfd.uci.edu/~gohlke/pythonlibs/#shapely>)

#### 1.2.1 Run

You can run data processing by calling command-line script

```
` ~$ ego_data_processing `
```



# CHAPTER 2

---

## Open\_eGo the project

---

### 2.1 Open Electricity Grid Optimization

The project open\_eGo aims to develop a transparent, inter-grid-level operating grid planning tool to investigate economic viable grid expansion scenarios considering alternative flexibility options such as storages or redispatch.

Uniform grid planning is required for a successful energy transition. This involves the management of the German electricity grid with more than 800 different network operators and the resulting wide range of interests that sometimes stand at odds with the national economic objectives of the energy transition. However, there is currently no suitable grid planning tool that is able to consider optimum national economic use of the various flexibility options at the different levels. The current challenges of planning for grid expansion associated with the energy transition are answered by open\_eGo.

In energy system analysis, models and input data are often handled restrictively. Such a lack of transparency impedes reproducibility and consequently also a proper interpretation of the results. Thus, in open\_eGo we publish all our code on github under the Affero General Public License Version 3. The data we use as input, but also all our results will be published on the OpenEnergy Platform, in most cases under an Open Database License Version 1.

For the open\_eGo project several python packages are developed which are feeded by the input data of the data processing.

#### 2.1.1 ego.io

SQLAlchemy Interface to the OpenEnergy database (oedb).OEDB table ORM objects are defined here and small helpers for io tasks are contained. [Learn more here](#).

#### 2.1.2 Ding0

The DIstribution Network GeneratOr (Ding0) is a tool to generate synthetic medium and low voltage power distribution grids based on open (or at least accessible) data. [Learn more here](#).

### **2.1.3 eDisGo**

The python package eDisGo provides a toolbox for analysis and optimization of distribution grids. [Learn more here.](#)

### **2.1.4 eTraGo**

The python package eTraGo provides a toolbox for Optimization of flexibility options for transmission grids based on PyPSA. [Learn more here.](#)

### **2.1.5 eGo**

The python package eGo is a toolbox and application which connects and integrates the tools eTraGo and eDisGo in order to calculate the overall economic optimum. [Learn more here.](#)

# CHAPTER 3

---

## Data processing scripts

---

### 3.1 Data processing

#### 3.1.1 SQL-Scripts

##### 3.1.1.1 Data Processing SQL-Scripts

###### 3.1.1.1.1 Overview of scripts

###### 3.1.1.1.1.1 dataprocessing/sql\_snippets/ scripts

###### 3.1.1.1.1.2 ego\_dp\_loadarea\_census.sql

Loads from Census 2011 Include Census 2011 population per ha. Identify population in OSM loads.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

###### 3.1.1.1.1.3 ego\_dp\_loadarea\_consumption.sql

Allocate consumption to Loadareas

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu, Ludee

### **3.1.1.1.4 ego\_dp\_loadarea\_griddistrict\_results.sql**

Results for MV Griddistrict After finishing the Loadareas we can aggregate the results for the MV Griddistricts: Area of MV Griddistrict. Municipality (Gemeinden). Municipality parts (Gemeinde-Einzelteile). Municipality types. Population results. Loadarea results (Area, Free area, Share). Consumption results.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.5 ego\_dp\_loadarea\_industry\_consumer.sql**

OSM Industry consumer Calculate specific electricity consumption per million Euro GVA for each federal state. Calculate the electricity consumption for each industry polygon. Identify corresponding bus for large scale consumer (lsc) with the help of ehv-voronoi.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu, Ludee

### **3.1.1.1.6 ego\_dp\_loadarea\_landuse.sql**

OSM landuse sectors Extract landuse areas from OpenStreetMap. Cut the landuse with German borders (vg250) and make valid geometries. Divide into 4 landuse sectors: 1. Residential 2. Retail 3. Industrial 4. Agricultural

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.7 ego\_dp\_loadarea\_loadcut\_griddistrict.sql**

Cut Loadarea with MV Griddistrict Identify and exclude Loadarea smaller than 100m<sup>2</sup>. Generate Centre of Load-areas with Centroid and PointOnSurface. Calculate population from Census 2011. Cut all 4 OSM sectors with MV Griddistricts. Calculate statistics like NUTS and AGS code. Check for Loadareas without AGS code.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.8 ego\_dp\_loadarea\_loadcut\_voronoi.sql**

Cut Loadarea with MV Voronoi cells Identify and exclude Loadarea smaller than 100m<sup>2</sup>. Generate Centre of Load-areas with Centroid and PointOnSurface. Calculate population from Census 2011. Cut all 4 OSM sectors with MV Griddistricts. Calculate statistics like NUTS and AGS code. Check for Loadareas without AGS code.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.9 ego\_dp\_loadarea\_loadmelt.sql**

Melt loads from OSM landuse and Census 2011 Collect loads from both sources. Buffer collected loads with with 100m. Unbuffer the collection with 100m. Validate the melted geometries. Fix geometries with error. Check again for errors.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.10 ego\_dp\_loadarea\_loads.sql**

OSM Loads from landuse Excludes large scale consumer. Buffer OSM urban sectors with 100m Unbuffer buffer with -100m

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.11 ego\_dp\_loadarea\_peakload.sql**

Peak loads per Loadarea Uses SLP parameters per sectors.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** gplssm, Ludee

### **3.1.1.1.12 ego\_dp\_loadarea\_statistic.sql**

Results and statistics for eGoDP data Substation, Loadarea, MV Griddistricts and Consumption. MV Griddistrict types. Municipality (Gemeinden). Calculate statistics for BKG vg250.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.13 ego\_dp\_lv\_consumption\_peakload.sql**

LV Consumption and Peakload Update LV Griddistrict table by a. sectoral consumption in each LV Griddistrict b. sectoral peak load in each LV Griddistrict

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** gplssm

### **3.1.1.1.14 ego\_dp\_lv\_griddistrict.sql**

LV Griddistrict Create LV Griddistrict from MVLV Substation. Generate OSM landuse per sectors.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee, jong42

### **3.1.1.1.15 ego\_dp\_lv\_substation.sql**

MVLV Substation (ONT) Create a lattice (regular fishnet grid) with 360m. Create MVLV Substation from lattice centroid.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee, jong42

### **3.1.1.1.16 ego\_dp\_lv\_substation\_voronoi.sql**

MVLV Substation Voronoi Voronoi polygons with Euclidean distance (manhattan distance would be better but not available in sql).

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee, jong42

### **3.1.1.1.1.17 ego\_dp\_mv\_griddistrict.sql**

MV GridDistricts Generate MV GridDistricts from municipalities and Voronoi cells. Each HVMV Substation receives one catchment area. Detailed description can be found in Hülk et. al. 2017.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.1.18 ego\_dp\_powerflow\_assignment\_generator.sql**

Generators which were assigned to a specific substation prior to this script need to be transformed to a data structure suitable for powerflow calculation with tool developed and used in the open\_eGo project. The following script transforms data from the powerplant mviews and adds some parameters according to the characteristics of the generators. To reduce the data column in the final table structure (see ego\_dp\_powerflow\_hv\_setup.sql) the generators are clustered according to their source, installed capacity, weather point and substation they are assigned to. Here a new and unique aggregate-ID (aggr\_id) is assigned. In an interims stage all generators are converted to a format suitable for powerflow flow calculation separately. This data can be accessed in table model\_draft.ego\_supply\_pf\_generator\_single.

Information on generators which are assigned to a specific substation are transformed to a data structure which is suitable for PyPSA. This script creates the scenarios ‘Status Quo’, ‘NEP 2035’ and ‘eGo 100’ in the hv powerflow schema.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu, Ludee

### **3.1.1.1.1.19 ego\_dp\_powerflow\_assignment\_load.sql**

Similar to generators in the previous script the data on loads are converted and clustered to fit the data structure needed for powerflow calculations. The electricity demand of small scale consumer and industrial large scale consumer is considered.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.1.1.1.1.20 ego\_dp\_powerflow\_assignment\_otgid.sql**

This scripts updates tables containing **renewable power plants** and **conventional power plants** with information on the otg\_id of substations which the generator is assigned to. The otg\_id and subst\_id of the substations are matched in tables containing information on **HV/MV substations** and **EHV substations**.

Additionally the otg\_id of offshore wind turbines is updated manually. The geometry of offshore wind power plants is matched with polygons representing a catchment area per relevant offshore grid connection point.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.1.1.1.21 ego\_dp\_powerflow\_assignment\_storage.sql**

Equivalent to the assignment of generators in this script storages are converted and clustered for all three scenarios considered in open\_eGo.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu”, “lukasol

### **3.1.1.1.22 ego\_dp\_powerflow\_assignment\_unid.sql**

All generators from the conventional and renewable power plant list are brought together in a central generator list. A unified id (un\_id) is assigned to those generators listed. Information on the un\_id is then added to the conventional and renewable power plant lists.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.1.1.1.23 ego\_dp\_powerflow\_create\_pp\_mview.sql**

This script creates discrete materialized views (mview) for conventional and renewable power plants per scenario, resulting in six different mviews for the three main scenarios considered in open\_eGo.

**copyright** Europa-Universität Flensburg - ZNES

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** wolfbunke

### **3.1.1.1.24 ego\_dp\_powerflow\_electrical\_neighbour.sql**

The electricity grid model extracted from osmTGmod is limited to the German territory. This script adds border crossing lines and corresponding buses and transformers to all neighbouring countries which have a direct electrical connection to the German grid.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.1.1.1.25 ego\_dp\_powerflow\_grid\_future\_scenarios.sql**

The grid model which is used as an input for powerflow calculations and optimization in open\_eGo is the same in all three scenarios ‘SQ’, ‘NEP 2035’ and ‘eGo100’. In the following script the grid model created for the ‘SQ’ scenario in the previous scripts is duplicated for the remaining two future scenarios

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.1.1.1.26 ego\_dp\_powerflow\_hv\_setup.sql**

This script creates all tables which are needed for hv-powerflow calculations. The characteristics of those tables follow the structure of PyPSA’s input data.

The following tables are created: model\_draft.ego\_grid\_pf\_hv\_scenario\_settings model\_draft.ego\_grid\_pf\_hv\_source  
model\_draft.ego\_grid\_pf\_hv\_bus model\_draft.ego\_grid\_pf\_hv\_busmap model\_draft.ego\_grid\_pf\_hv\_generator  
model\_draft.ego\_grid\_pf\_hv\_line model\_draft.ego\_grid\_pf\_hv\_load model\_draft.ego\_grid\_pf\_hv\_storage  
model\_draft.ego\_grid\_pf\_hv\_temp\_resolution model\_draft.ego\_grid\_pf\_hv\_transformer  
model\_draft.ego\_grid\_pf\_hv\_bus\_v\_mag\_set model\_draft.ego\_grid\_pf\_hv\_generator\_pq\_set  
model\_draft.ego\_grid\_pf\_hv\_load\_pq\_set model\_draft.ego\_grid\_pf\_hv\_storage\_pq\_set

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** mariusves, IlkaCu, ulfmueler, Ludee, s3pp

### **3.1.1.1.27 ego\_dp\_powerflow\_lopf\_data.sql**

Missing parameters necessary for calculating a linear optimal power flow (LOPF) are added to the existing data. This includes marginal costs per technology, which is composed of specific operating cost, fuel costs and CO2 costs according to renpass\_gis, NEP 2014 scenario. In addition p\_max\_pu is set for all generators with variable dispatch based on  $p_{max\_pu} = p_{set} / p_{nom}$ .

A further section of the script is used to insert extendable battery and hydrogen storages to all substations in the grid model. These have a initial installed capacity  $p_{nom}=0$ , which can be extended when executing an optimization (by calculating a LOPF).

**copyright** Europa-Universität Flensburg, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** wolfbunke, lukasol

### **3.1.1.1.28 ego\_dp\_powerflow\_osmtgmod\_to\_pypsa.sql**

osmTGmod provides a model of the German EHV and HV grid based on OpenStreetMap. This script extracts bus and branch data provided by osmTGmod and inserts the grid model into the corresponding powerflow tables. Additionally some (electrical) properties for transformers are adjusted or added.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** ulfmueler, IlkaCu, mariusves

### **3.1.1.1.29 ego\_dp\_powerflow\_timeseries\_demand.sql**

Aggregated load time series for neighbouring countries are based on rennpassG!S results and are added to the corresponding powerflow table. The load is equivalent in all three scenarios.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** ulfmueler, wolfbunke

### **3.1.1.1.30 ego\_dp\_powerflow\_voronoi\_weatherpoint.sql**

voronoi with climatepoints

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu, Ludee

### **3.1.1.1.31 ego\_dp\_structure\_input\_verification.sql**

Input verification (eGoPP) Check the necessary input tables from eGo PreProcessing. Return version of input tables.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.32 ego\_dp\_substation\_ehv.sql**

EHV Substation Abstract EHV Substations of the extra high voltage level from OSM. This script abstracts substations of the extra high voltage level from openstreetmap data.

**copyright** DLR Institute for Networked Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** lukasol, C. Matke, Ludee

### **3.1.1.1.33 ego\_dp\_substation\_ehv\_voronoi.sql**

EHV Substation Voronoi Voronoi polygons with euclidean distance on EHV Substation. Manhattan distance would be better but not available in sql.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu, Ludee

### **3.1.1.1.34 ego\_dp\_substation\_hvmv.sql**

HVMV Substation Abstract HVMV Substations of the high voltage level from OSM. This script abstracts substations of the high voltage level from openstreetmap data. All substations that are relevant transition points between the transmission and distribution grid are identified, irrelevant ones are disregarded.

**copyright** DLR Institute for Networked Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** lukasol, C. Matke, Ludee

### **3.1.1.1.35 ego\_dp\_substation\_hvmv\_voronoi.sql**

HVMV Substation Voronoi Voronoi polygons with euclidean distance on HVMV Substation. Manhattan distance would be better but not available in sql.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.36 ego\_dp\_substation\_id\_to\_generator.sql**

Substation ID to Generator All powerplants (Conventional and Renewable) receive the corresponding Substation ID. Either the HVMV Substation ID (= MV Griddistrict ID) or the EHV Substation ID. Identify corresponding subst\_id for all power plants according to their voltage\_level and geometry.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.1.1.1.37 ego\_dp\_substation\_otg.sql**

Substation OTG-ID Script to assign osmTGmod-id (OTG) to substation.

**copyright** DLR Institute for Networked Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** lukasol, C. Matke

### **3.1.1.1.38 ego\_dp\_versioning.sql**

eGo Data Processing result data versioning Copy a version from model\_draft to OEP schema

**copyright** © Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.39 ego\_dp\_versioning\_mviews.sql**

eGo Data Processing result data versioning Copy a version of mvies from model\_draft to OEP schema

**copyright** Europa-Universität Flensburg

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** wolfbunke

### **3.1.1.1.40 ego\_dp\_versioning\_overview.sql**

eGo Data Processing overview Check all versioned tables

**copyright** © Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.41 dataprocessing/sql\_snippets/functions scripts**

#### **3.1.1.1.42 function\_query\_metadata.sql**

Function select important parameters of a table and it's metadata

NOT WORKING

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

#### **3.1.1.1.43 dataprocessing/sql\_snippets/rea scripts**

##### **3.1.1.1.44 ego\_dp\_conv.sql**

Skript to allocate conventional power plants to loadareas

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

##### **3.1.1.1.45 ego\_dp\_lattice\_500m.sql**

Lattice (regular point grid) with 500m Lattice on bounding box of Germany.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

##### **3.1.1.1.46 ego\_dp\_lattice\_50m.sql**

Lattice (regular point grid) with 50m Lattice on bounding box of Germany.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

##### **3.1.1.1.47 ego\_dp\_rea\_lattice\_per\_area\_500m.sql**

Prepare 500m lattice Lattice on bounding box of Germany with 500m per area: wpa - points inside wind potential area  
la - points inside loadarea x - points inside wind potential area and loadarea out - points outside area

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.1.48 ego\_dp\_rea\_lattice\_per\_area\_50m.sql**

Prepare 500m lattice Lattice on bounding box of Germany with 50m per area: la - points inside loadarea

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.1.49 ego\_dp\_rea\_m1.sql**

M1 biomass and solar to OSM agricultural Allocates “biomass” & (renewable) “gas” to OSM agricultural areas. The rest could not be allocated, consider in M4.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.1.50 ego\_dp\_rea\_m2.sql**

M2 wind farms Allocates “wind” turbines with voltage level 4 to WPA as wind farms. The rest could not be allocated, consider in M3.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.1.51 ego\_dp\_rea\_m3.sql**

M3 wind turbines to WPA Allocates “wind” turbines with voltage levels “5” & “6” to WPA. Also considers rest of M2. The rest could not be allocated, consider in M4.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.1.52 ego\_dp\_rea\_m4.sql**

M4 other and rest Allocates “wind” with voltage levels “5” & “6” to WPA. “solar ground” & “wind” ohne voltage & Rest M1-1 & Rest M1-2 & Rest M3. Also considers rest of M1-1, M1-2 and M3. There should be no rest!

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.53 ego\_dp\_rea\_m5.sql**

M5 LV to Loadarea Allocate “solar” with voltage levels “6” & “7” to Loadarea. There should be no rest!

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.54 ego\_dp\_rea\_results.sql**

Results and statistics for REA

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.55 ego\_dp\_rea\_setup.sql**

Setup tables for REA Skript to allocate decentralized renewable power plants (dea). Methods base on technology and voltage level. Allocate DEA outside of Germany to next HVMV Substation. Generate OSM farmyards.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.56 ego\_dp\_rea\_wpa\_per\_mvgd.sql**

Wind potential area (WPA) per MV-Griddistrict Cut WPA with MV-Griddistrict and make valid geometries.

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.1.1.1.57 ego\_dp\_wpa.sql**

Skript to allocate decentralized renewable power plants (dea) Methods base on technology and voltage level Uses different lattice from setup\_ego\_wpa\_per\_grid\_district.sql

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

## **3.1.2 Python-Scripts**

[use sphinx doc strings]

# **3.2 Preprocessing**

## **3.2.1 SQL-Scripts**

### **3.2.1.1 Preprocessing SQL-Scripts**

#### **3.2.1.1.1 Overview of scripts**

##### **3.2.1.1.1.1 preprocessing/sql\_snippets/ scripts**

##### **3.2.1.1.1.2 ego\_dp\_res\_rea\_by\_scenario.sql**

SQL Script that prepare and insert single renewable power plant data by a given scenario in order to create a high resolution allocation renewable energy expansion.

For the project open\_eGo and the tools eTraGo, eDisGo and eGo the scenarios are named ‘Status Quo’ (2015), ‘NEP 2035’, ‘eGo 100’. Learn more about the scenario here [scenarios here](#).

This script is divided into two parts:

#### **3.2.1.1.1.3 Part I**

- Development of new renewable power plants by NEP 2035 scenario data

#### **3.2.1.1.1.4 Part II**

- Development of new renewable power plants by ego 100% scenario data

### **3.2.1.1.5 Methodology**

Both parts of the script work more or less with the same Methodology of an expansion and allocation of renewable energy plants. A full documentation of the used Methodology of the Renewable allocation can be found here.

**copyright** Europa-Universität Flensburg, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** wolfbunke

### **3.2.1.1.6 ego\_dp\_structure\_boundaries\_vg250.sql**

Setup borders Inputs are german administrative borders (boundaries.bkg\_vg250) Create mviews with transformed CRS (EPSG:3035) and corrected geometries Municipalities / Gemeinden are fragmented and cleaned from ringholes (bkg\_vg250\_6\_gem\_clean)

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.2.1.1.7 ego\_dp\_structure\_census.sql**

Result tables for eGoDP

WARNING: It drops the table and deletes old entries when executed!

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee, IlkaCu

### **3.2.1.1.8 ego\_dp\_structure\_osm\_landuse.sql**

analyse OSM landuse data

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.2.1.1.9 ego\_dp\_structure\_scenariolog.sql**

Setup scenario log table Creates a table to get inserts from other processed tables

WARNING: It drops the table and deletes old entries when executed!

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.2.1.1.10 ego\_dp\_structure\_versioning.sql**

Result tables for eGoDP

WARNING: It drops the table and deletes old entries when executed!

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee, IlkaCu

### **3.2.1.1.11 ego\_nep\_2015\_scenario\_capacities.sql**

Create and setup the table model\_draft.ego\_nep\_2015\_scenario\_capacities for electrical scenario capacities of the Netzentwicklungsplan 2015, erster Entwurf per federal state in Germany.

**copyright** Europa-Universität Flensburg, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** wolfbunke

### **3.2.1.1.12 ego\_pre\_slp\_parameters.sql**

Create table with assumptions and parameters on standard load profiles (SLP)

WARNING: It drops the table and deletes old entries when executed!

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** gplssm

### **3.2.1.1.13 ego\_pre\_voltage\_level.sql**

Set or adjust voltage\_level according to installed capacity and technology of power plants.

**copyright** Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** IlkaCu

### **3.2.1.1.14 oedb\_setup\_schema\_structure.sql**

Setup the OpenEnergy Database (oedb) schema structure

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.2.1.1.15 preprocessing/sql\_snippets/boundaries scripts**

#### **3.2.1.1.16 ego\_pp\_gn250\_metadata.sql**

Metadata for gn250 tables Geographische Namen 1:250 000 - GN250

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

#### **3.2.1.1.17 ego\_pp\_vg250\_metadata.sql**

Metadata for vg250 tables

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.2.1.1.18 preprocessing/sql\_snippets/openstreetmap scripts**

#### **3.2.1.1.19 ego\_pp\_osm\_line\_street\_mvview.sql**

Extracted OSM streets from line

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** jong42, Ludee

#### **3.2.1.1.20 preprocessing/sql\_snippets/society scripts**

#### **3.2.1.1.21 ego\_pp\_destatis\_zensus\_import.sql**

Import DESTATIS zensus 2011 table

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

### **3.2.1.1.22 ego\_pp\_destatis\_zensus\_metadata.sql**

Import DESTATIS zensus 2011 table

**copyright** Reiner Lemoine Institut

**license** GNU Affero General Public License Version 3 (AGPL-3.0)

**url** [https://github.com/openego/data\\_processing/blob/master/LICENSE](https://github.com/openego/data_processing/blob/master/LICENSE)

**author** Ludee

## **3.2.2 Python-Scripts**

[use sphinx doc strings]

# CHAPTER 4

---

## Scenario framework

---

### 4.1 open\_eGo Scenarios

Import Scenario data as CSV .. csv-table::: Overview of eGo Scenarios

```
file https://raw.githubusercontent.com/openego/....  
delim ;  
header-rows 1  
widths 5, 1, 1, 5  
stub-columns 0
```

#### 4.1.1 open\_eGo Scenarios

For the project open\_eGo been three scenarios choosen in order to

##### 4.1.1.1 Status Quo

##### 4.1.1.2 NEP 2035

[NEP2015]

#### **4.1.1.2.1 Scenario definition of renpassGIS**

##### **4.1.1.3 eGo 100**

##### **4.1.1.4 References**

## **4.2 Methodology**

### **4.2.1 Methodologies**

[Intro]

#### **4.2.1.1 Methodologies of Renewable Energy Plants**

[Intro]

##### **4.2.1.1.1 Renewable allocation**

The Methodology of the expansion and allocation of renewable energy plants is done in two parts. The first part is the developent and expansion of renewable power palnts by a scenario input of installed capacities. The allocation based on the spacial level of municipalities. The second part allocated the surplus of power plants power plants on a high spacial resulution by white areas and other Polygon objects (see XXX).

###### **4.2.1.1.1.1 Expansion of power plants by technology**

###### **4.2.1.1.1.2 Wind onshore**

Text

###### **4.2.1.1.1.3 Wind offshore**

text

###### **4.2.1.1.1.4 Solar**

text

###### **4.2.1.1.1.5 Hydro Power**

run of river and reservoir

#### **4.2.1.1.6 Pumped Storage**

#### **4.2.1.1.7 Biomass**

text

#### **4.2.1.1.8 geothermal**

text

#### **4.2.1.2 Load**

### **4.3 References**



# CHAPTER 5

---

## What's New

---

See what's new as per release!

### *Releases*

- *Release v0.3.0 (December 18, 2017)*
- *Release v0.3.1 (April XX, 2018)*

## 5.1 Release v0.3.0 (December 18, 2017)

[Description]

### 5.1.1 Added features

•

### 5.1.2 Bug fixes

•

### 5.1.3 Other changes

•

## 5.2 Release v0.3.1 (April XX, 2018)

[Description]

### 5.2.1 Added features

- 

### 5.2.2 Bug fixes

- 

### 5.2.3 Other changes

- change use of geom (original) to rea\_geom\_new
- ...

# CHAPTER 6

---

## LICENSE

---

Copyright (C) 2015-2018 open\_eGo-Team (C) Flensburg University of Applied Sciences, Centre for Sustainable Energy Systems (C) Europa-Universität Flensburg, Centre for Sustainable Energy Systems (C) Reiner Lemoine Institut (C) DLR Institute for Networked Energy Systems”

This program is free software: you can redistribute it and/or modify it under the terms of the GNU Affero General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Affero General Public License for more details. You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.



# CHAPTER 7

---

## Indices and tables

---

- genindex
- modindex
- search



---

## Bibliography

---

[NEP2015] Übertragungsnetzbetreiber Deutschland, Netzentwicklungsplan Strom 2025, Version 2015, 1. Entwurf, 2015. [https://www.netzentwicklungsplan.de/sites/default/files/paragraphs-files/NEP\\_2025\\_1\\_Entwurf\\_Teil1\\_0\\_.pdf](https://www.netzentwicklungsplan.de/sites/default/files/paragraphs-files/NEP_2025_1_Entwurf_Teil1_0_.pdf)

[coastdat-2] coastDat-2 Hindcast model <http://www.coastdat.de/data/index.php.en>

[FIEoS] Wolf-Dieter Bunke Martin Söthe Marion Christ Cord Kaldemeyer (*Flensburg (En)ergy (S)cenarios - open\_eGo Scenarios for 2014/2035/2050.*

<https://osf.io/bpf36/>

[NEP2015] Übertragungsnetzbetreiber Deutschland, Netzentwicklungsplan Strom 2025, Version 2015, 1. Entwurf, 2015. [https://www.netzentwicklungsplan.de/sites/default/files/paragraphs-files/NEP\\_2025\\_1\\_Entwurf\\_Teil1\\_0\\_.pdf](https://www.netzentwicklungsplan.de/sites/default/files/paragraphs-files/NEP_2025_1_Entwurf_Teil1_0_.pdf)

[coastdat-2] coastDat-2 Hindcast model <http://www.coastdat.de/data/index.php.en>

[FIEoS] Wolf-Dieter Bunke Martin Söthe Marion Christ Cord Kaldemeyer (*Flensburg (En)ergy (S)cenarios - open\_eGo Scenarios for 2014/2035/2050.*

<https://osf.io/bpf36/>